

CAPITAL EQUIPMENT



PAVEMENT BREAKER




ACE Paving Breaker has been designed to deliver the power and durability necessary for a variety of construction and plant maintenance applications such as breaking heavy concrete, reinforced concrete, frozen ground, boulders and pavement.

Specifications	metric	imperial
Length	680 mm	27"
Blow per Minute	1300	1300
Piston Dia	60.3 mm	2.40"
Piston Stroke	140 mm	5.50"
Air Inlet	19 mm	3/4
Air Pressure	6 bar	87 psi
Air Consumption	30 l/s	64 cfm
Shank Size	32 x 160 mm	1¼" x 6¼"
Shank Size (optional)	28 x 160 mm	1 ¹ /8" x 6¼

ROCK DRILLS



S215 (WET DRILLING)





standard jackhammer for development end drilling. It is designed for use in any drilling operation where the operator is able to adopt a standing upright posture.






MH505



Pneumatic jackhammer with builtin air flushing, designed for drilling through granite, hard-faced rock, quarry drilling, bench drilling, and drilling secondary holes for blasting.,

S36 KONKOLA





Surface drilling: It is an ideal machine for track drill or wagon drill applications It can be used for quarry bench and pre-splitting holes as well as for general purpose use for civil contracting.

Underground: Ideal for development tunneling and fan and ring drilled blast holes. Special purpose applications would include long holes for drainage and communication purposes.

AIR LEGS



STEEL TELESCOPIC AIRLEGS

 Locally assembles steel telescopic airlegs designed for use with S215 and S25 Jackhammers

• 1.2m and 0.6m



Retractable Airlegs are designed for use with the pneumatic jackhammers to offer support during drilling 600MM -1300MM







ALUMINIUM TELESCOPIC

- 1.2M ALUMINIUM TELESCOPIC
- 1.8M ALUMINIUM TELESCOPIC



AUTOMATIC



The Corewise® automatic core saw has set the standard in the industry for the longitudinal cutting of geological core samples. It offers a fast, effective, and efficient solution, prioritizing safety while cutting cores along their length. Capable of handling core sizes from BQ to PQ, this saw features a built-in recycling water tank for lubrication and blade cooling, an LCD screen displaying operational details, and an automatic braking system for user safety, all housed within a durable galvanized steel housing.

CHEETAH MACHINES








- Robust machine proven in underground use
- High power & torque
- 5 Vane floating rotor design
- Speed governed for maximum power & safety
- Efficient, user friendly lubricator filter arrangement
- · Water feed to cool & flush blades
- 230mm-300mm diameter blade



SUMP PUMP



- · Dry operation without damage
- Wear resistant impeller and volute
- Maintenance free seals and bearings
- Low air consumption
- Mine worthy air motor (used extensively on Cheetah Chainsaw)
- · Air strainer for longer service life
- Integrated lubricator (36 hrs operation)





DIAMOND DRILLS



METREEATER® DRILL

The MetreEater® Drill range is made up of the following drills: AQ MetreEater. Both Pneumatic and Electro-hydraulic versions available.

BQ MetreEater. Both Pneumatic and Electro-hydraulic versions available.

KEMPE® DRILL RANGE


U2-AW Pneumatic
U3-6B. We still carry and sell
most spares the U3-6B drill to
service existing drills in the
market, but have discontinued
sales of new units. The U3-9B
drill is sold as the replacement
for the U3-6B.

U3-9B Pneumatic and Electrohydraulic U3-9BQ Pneumatic and Electrohydraulic



S36 KONKOLA





Surface drilling: It is an ideal machine for track drill or wagon drill applications It can be used for quarry bench and pre-splitting holes as well as for general purpose use for civil contracting.

Underground: Ideal for development tunneling and fan and ring drilled blast holes. Special purpose applications would include long holes for drainage and communication purposes.



Thank You for exploring our collection

FOR MORE INFORMATION OR TO PLACE AN ORDER, CONTACT OUR SALES TEAM:

HARARE

sales@hardrock.co.zw +263 719 193 636

BULAWAYO

sales.byo@hardrock.co.zw +263 719 343 677

www.hardrock.co.zw